

Enhance[™] Full Synthetic Motor Oil

Description:

Enhance[™] Full Synthetic Motor Oils are high detergent automotive engine oils formulated specially to meet the stringent lubrication requirements of today and tomorrow's engines. These motor oils offer maximum protection against wear, rust, corrosion, oxidative thickening, acid formation, sludge, and varnish due to the synthetic base oils combined with carefully selected additive packages.

Applications:

These oils meet or exceed the following categories and requirements:

- API Service SN Plus, SM, SL, SJ
- ILSAC Starburst GF-5
- Passenger Car and Light Truck Manufacturers Warranty Requirements

Benefits:

- Maximum Level of Protection for Thermal and Oxidation Stability
- Formulated for Extreme Driving Conditions
- Outperforms Conventional and Synthetic Blend Products
- Outstanding Low and High Temperature Performance

SAE Grade	0W-20	5W-20	5W-30
Viscosity @ 40°C, cSt	44.89	46.6	60.8
Viscosity @ 100°C, cSt	8.48	8.4	10.2
Flash Point	206°C	-	-
Pour Point	-48°C	-	-
Flash Point	-	405°F	420°F
Pour Point	-	-40°F	-38°F
CCS Viscosity cP @ -35°C	5880	-	-
Viscosity Index	173	160	156
Color (ASTM 1500)	L3.5	-	-
Zinc, ppm	840	-	-
Phosphorus, ppm	780	-	-
Zinc, Wt. %	-	0.810	-
Phosphorus, Wt. %	-	.0740	-
API Gravity @ 60°F	-	34.8	33.1
Specific Gravity @ 60°F	-	0.8510	.8595
API Performance	SN Plus	SN Plus	SN Plus

Typical Properties:

ALWAYS CONSULT OWNER'S MANUAL FOR SERVICE AND FLUID RECOMMENDATIONS

Enhance™ Lubricants (888) 272-2020 | www.enhanceoil.com